


ELEVATION Scale: 1/2" = 1'-0" ELEVATION Scale: 1/2" = 1'-0" **ELEVATION** Scale: 1/2" = 1'-0"





Westbrook / Concrete Block JOB NAME: 77 CLARKSON AVE. LOCATION: 5/14/2019 1 st SUBM.
 3rd SUBM.
 SCALE : AS NOTED
 DRAWN BY: Mark Rogers Jr. CHK'D BY:


 4th SUBM.
 DATE: 5/14/2019
 SHEET SIZE

WCB-19184

IMPORTANT NOTICE
THIS SHOP DRAWING REPRESENTS OUR INTERPRETATION OF THE ARCHITECTS PLANS & SPECIFICATIONS, AND OUR CONTRACT REQUIREMENTS FOR THE PROJECT.
PRIOR TO FABRICATION 6 ANY STONE FOR THIS PROJECT, ALL METHODS OF CONSTRUCTION AND EXISTING CONDITIONS MUST BE CHECKED AND CORRECTED OR APPROVED BY OUR CUSTOMER.
NO PRECAST WILL BE SCHEDULED FOR FABRICATION UNTIL WE HAVE BEEN NOTIFIED IN WRITING BY OUR CUSTOMER THAT OUR SHOP DRAWINGS HAVE BEEN APPROVED FOR FABRICATION. APPROVAL DELAY RESULTS IN FABRICATION & DELIVERY DELAY.
ANY STONE FABRICATED IN ACCORDANCE WITH APPROVED SHOP DRAWINGS THAT DOES NOTIFIED IN USE BEEN ADD AND SHOPE TO THE JOB ONLY AT OUR CUSTOMERS EXPENSE, AND ONLY AFTER RECEIPT OF SIGNED CHANGE ORDER TO COVER ADDITIONAL
WE ASSUME NO RESPONSIBILITY FOR CUTTING OF OUR STONE TO ACCOMMODATE OTHER TRADES UNLESS ADEQUATE INFORMATION IS PROVIDED ON OUR SHOP DRAWINGS. WE ASSUME NO RESPONSIBILITY AS TO MEASUREMENTS OR DETAILS AFFECTING ANY WORK BUT OUR
OWN.

1. DIMENSIONS ON ALL SHEETS ARE ACTUAL, NOT NOMINAL.
2. DO NOT SCALE SHOP DRAWINGS.
3. SEE FROJECT DRAWINGS FOR ADDITIONAL ITEMS EMBEDDED IN PRECAST CONCRETE.
4. ALL ONING DE 1.8° LOSS SHOP DRAWINGS.
4. ALL ONING DE 1.8° LOSS SHOP DRAWINGS.
6. PLEASE VEREY IF JOINTS AT LOCATIONS SHOWN ARE ACCEPTABLE. WESTBROOK C.B. WILL COORDINATE.
6. PLEASE VEREY IF JOINTS AT LOCATIONS SHOWN ARE ACCEPTABLE UNESTBROOK C.B. WILL COORDINATE.
7. WESTBROOK C.B. IS NOT RESPONSIBLE FOR FIELD VERIFICATIONS. WESTBROOK C.B. WILL COORDINATE.
8. WESTBROOK C.B. IS NOT RESPONSIBLE FOR FIELD VERIFICATIONS. WESTBROOK C.B. WILL COORDINATE.
9. FOAM INSERTS WILL BE LEFT IN THE DEIP & ANCHOR SLOTS TO AVOID BREAKAGE. FOAM MUST BE
REMOVED AT THE JOB SITE BY INSTALLING ACTIVITY.

ALL PRECAST IS MANUFACTURED IN ACCORDANCE WITH ASTM 1364 SPECIFICATIONS.



REQUIRE LIFING INSERTS AS INDICATED. WEIGHT (LBS) QTY PC LENGTH 2'-7 5" **S**1 13 61.77 3'-0\frac{15}{16}" S4 72.14

3'-3 5"

77.39

S7

REV. DATE: COLOR = 1/2 & 1/2-VL

DATE: 5/30/2019


Scale: 3'' = 1'-0''

REV. BY: Westbrook Concrete Block


JOB NAME:

WCB-19184

DWN BY: M. Rogers Jr. 77 CLARKSON AVE.







NOTE:


ALL STONE IN EXCESS OF 300 LBS SHALL REQUIRE LIFING INSERTS AS INDICATED.

QTY	PC	LENGTH	WEIGHT (LBS)		
13	S2	2'-7 5 "	61.77		
7	S5	3'-0\frac{15}{16}"	72.14		

SECTION

Scale: 3" = 1'-0"

NDICATED.		REV.	V. DATE: REV. BY:		REV. BY:			
			Westbrook		439 Spencer Plains Road t. 860.399.6201 Westbrook, CT 06498	WCB-19184		
		🕇 Concrete Block			lock	www.westbrookblock.com	DWN BY:	M. Rogers Jr.
	COLOR = 1/2 & 1/2-VL	DA	ΓΕ: 5/30/2019	JOB NAME	: 77	CLARK	(SO)	N AVE.



WEIGHT (LBS) QTY PC LENGTH REV. DATE: REV. BY: $2'-7\frac{5}{8}"$ S3 13 61.77 Westbrook 3'-0 <u>15</u>" S6 72.14 Concrete Block 3'-3 5" S8 77.39 COLOR = 1/2 & 1/2-VLDATE: 5/30/2019 JOB NAME:

WCB-19184 DWN BY: M. Rogers Jr. 77 CLARKSON AVE.